

D&D Performance Enterprises Inc.

2923 Edith Lane

Fort Worth Texas 76117

817-834-8961

fax 817-831-4260

sales@danddexhaust.com


warranty@danddexhaust.com

tech@danddexhaust.com

www.danddexhaust.com

Performance Motorcycle Exhaust

630-31-32 Touring 09-16 Billet Ghost



Muffler Bolts and Spacers



2- W ½ OD Round 5/8 ID 3/8

2- 5/16 Lock Washer

2- 5/16 Flat Washer

2- 5/16 – 18X1 ¼ Hex Bolt

2009-2016 HD Touring Billet Ghost 630-31-32G

1. Remove left saddlebag.
2. Remove stock crossover mount, bolted to the lower rear oil pan. Retain these bolts as they will be used later.
3. Open box and inspect pipe. No warranty for cosmetics after installation.
4. Loosely mount rear of ghost pipe to saddlebag support using supplied hardware and spacers.
5. Attach ghost pipe front mount to oil pan using existing hardware. Be sure to apply blue loctite to threads.
6. Check alignment.
7. Torque bolts to oil pan using factory specifications.
8. Tighten rear of muffler to the saddlebag support.
9. Clean system with glass cleaner to remove any oil and fingerprints.
10. Install saddlebag.

Notice:

D&D Performance Exhaust systems are designed for close course racing applications only. Not for use on pollution controlled vehicles.

Due to slight differences in the rear mounting the use of additional spacers and bolts may be required. Check for proper alignment; install pipes without bolting up the rear mounts. Step to the rear of the bike and raise or lower until it is visually aligned. Then determine if additional spaces are need. Install spacers and bolts as necessary. Some systems NOT ALL system come with spacers and bolts to install the system, on some systems you may have to get your own spacers or bolts to finish installing the system.

ONE YEAR CONDITIONAL WARRANTY

D&D Performance Enterprises Inc. backs this, and all, D&D products with a One Year Conditional Warranty under the following conditions:

- ✓ Warranty period starts at date of purchase by end-user
- ✓ The system must have been installed using the installation Instructions provided with system
- ✓ The system must not be crash-damaged; the silencer (Muffler) bracket must not have been moved; the system must not have been misused or improperly maintained
- ✓ Warranty does not cover carbon fiber discoloration, or rust
- ✓ All warranty claims must be directly to D&D Performance Enterprises Inc. by first calling warranty department for authorization and instructions on what to do to get an RMA number. 817-834-8961
- ✓ All Warranty Claims must be accompanied by a purchase receipt; NO EXCEPTIONS will be made

Warranty on Chrome

We take every step and precaution to produce a perfect Chrome Finish. All of our Exhaust Systems are hand polished double nickel and chrome plated. However, consistent perfect Chrome finishes are not possible without two or three hand polish copper base layers. While this may sound good it is the cost prohibitive to the point of the double the price or more.

In the real world, if you ride your Bike, all of this would be lost in a couple of weeks and you would be out several hundred Dollars for nothing.

All of our systems are inspected to meet our criteria as follows

- ✓ Visual inspection from the aspect of the system installed on the bike. Imperfections that are visible at a few inches under a fluorescent lighting disappear when standing next to your bike.
- ✓ Specks and scratches on the bottom, inside, or anywhere they do not show are disregarded.
- ✓ Peeling chrome on a new system is a defect and is rejected.
- ✓ Discoloration on a new system in a visible area is rejected.

It is always possible for a projectable defect to slip through inspection process. We apologize if this happened to you. Please follow these steps in order for us to process your warranty claim. Be aware that peeling chrome or a mechanical failure are the only qualifying defects after a system has been installed.

- ✓ Call or email for a RMA number and put this number on the box when returned.
- ✓ Circle the defect area with a felt tip marker.
- ✓ Package the system carefully, if it incurs shipping damage we will not be able to make a fair determination of your warranty claim.
- ✓ Only peeling chrome or a mechanical failure will qualify for warranty after the system has been installed.

You may experience some discoloration during the break-in period of your chrome. It is important to remove it with a good metal polish (Semi-chrome is one) as soon as possible until the chrome is seasoned and the discoloration no longer appears. Other reasons for discoloration are improper tuning and this WILL NOT be covered under warranty.



Warning

This product is Ceramic Coated

New Ceramic coating is “**very delicate**” so please be careful while installing this product.

Once the product has been installed and goes thru several heat cycles it becomes **Extremely Durable**.

7142014

How to care for your D&D Ceramic Black System

To clean and care for your Black D&D Exhaust use a microfiber towel and this product from your Harley Davidson Dealer

Aerosol Spray Cleaner & Polish

